

## PRODUCT BROCHURE

---

# KERN SET-08

Date: 19.04.2025

ENGLISH

## Software EasyTouch SET-08 **Take-Out**

EasyTouch Take-out – The take-out function enables negative weighing out of a source container

---

### CONTACT






KERN & SOHN GmbH  
Ziegelei 1  
72336 Balingen  
Germany

Phone : +49 7433 9933-0  
Fax : +49 7433 9933-149  
Email : [info@kern-sohn.com](mailto:info@kern-sohn.com)  
Web : [www.kern-sohn.com](http://www.kern-sohn.com)



Scan here for more  
information

## PRODUCT SHOWCASE



## DESCRIPTION

- Note: Prerequisite for this set is the basic program SET-01 Base
- The Take-out function enables defined portions to be removed quickly and efficiently from a source container placed on the balance. The balance provides the user whether a portion has been removed correctly or not, using visual and acoustic feedback. Each correct removal is displayed and stored by the system (“Negative weighing” or “Weighing by removing items”)
- With this take-out aid, portions can be taken out rapidly and easily. Accurate data storage by the system allows you to see at first glance, how many portions have been taken out and how high the quantity loss is per portion in comparison with the target quantity
- Colour bar graph: Shows the user clearly and quickly whether the weighing result is below, within or above the tolerance range. The result marker “I” also indicates exactly where the weight is within the tolerance range
- The target weights of the portions can be entered easily or can be taken from the current weight on the balance and be stored with a permitted tolerance. Using the “Quick keys” 1 to 4, take-out items can be stored and quickly recalled
- Central master data memory: Take-out objects can be stored in the memory of the system with portion weight, permitted tolerance, ID number, name, image, etc. In this way this data does not have to constantly be

entered again, but can be easily recalled from the memory. In the master data memory you can also store a possible tare value for the typical packaging, box or container, which will then be deducted automatically from the weighing result (PreTare)

- ID security: "ID security" offers the possibility of storing each weighed and stored classification result with a unique ID number (Dynamic Object ID) and an ID name (Dynamic Object Name). The saving process can be triggered on a semi-automatic or fully-automatic basis and always after the load has been taken off the balance and when load is applied again. This means that the user does not have to press any buttons for mass storage operations and can work efficiently
- Batch description: Each take-out sequence can be stored with customer order name, number and with its own batch number
- Statistical evaluation: For each take-out sequence the system evaluates the material loss in the sense of a take-out value above the defined target value and displays this both as a total as well as in relation to the individual portion
- Take-out in pieces: You can toggle between two take-out modes, take-out with weight and take-out using pieces. In mode using pieces, the user can weigh an individual reference weight, let the system calculate this weight or enter it direct. By doing this, the weights are converted into piece-count values

#### Options

- The central data memory function Save Server (SET-10) for additional storage of all measurement data in a central, local server directory. By doing this the measurement data of all connected EasyTouch weighing systems as well as from all installed EasyTouch functions will be stored. A particular benefit of doing this for those users with several weighing systems is that all weighing data is consolidated in just one database and you can search for individual measurement data from several balances in just one table. The Save Server data memory is also tamper-proof and cannot be changed
- SET-26 1 Audio Management: With this option, individual voice or sound files can be stored in the system for specific events. As soon as the event occurs, the system plays the individual sound file instead of the standard sound file in this case. In this way, for example, voice output can be stored for workshops for the blind, such as "too light", "OK" or "too heavy", KERN SET-26 1

## SPECIFICATIONS

### Article codes, product groups & Status information

Model article-code	SET-08
Model-Serie	ETS
Assortment	KERN
Product Type	Software

Product group	EasyTouch
Product usage type	Main item;Accessories/Services
EAN code (Model)	4045761360518
Predecessor Model	SET-08-2021a
Customs tariff number	85234910

**Technical data - Packing & Shipping**

Delivery time	1 d
---------------	-----

**FUNCTIONS**

Standard



Option



**SOFTWARES**

Model	Description
SET-311	KERN EasyTouch SET-311 Quick Key
SET-10	KERN EasyTouch SET-10 Save Server
SET-14	KERN EasyTouch SET-14 Individual Print
SET-411	KERN EasyTouch SET-411 Hotkeys